



Understanding IPv4 Addresses




- An IP Address is a **logical** address used in order to **uniquely identify** a device on an IP network.
- It's a **Network Layer** Address
- There are Two Versions:
 - IP version 4 (IPv4)
 - IP version 6 (IPv6)



Understanding IPv4 Addresses



- Made up of 32 binary bits, which can be divided into a **network portion** and a **host portion** with the help of a **subnet mask**.
 - The 32 binary bits are broken into four octets (1 octet = 8 bits).
 - Each octet is converted to decimal and separated by a period (dot).
 - For this reason, an IP address is said to be expressed in dotted decimal format.




Understanding IPv4 Addresses




First Octet		Second Octet		Third Octet		Fourth Octet
192	.	168	.	1	.	10
11000000	.	10101000	.	00000001	.	00001010
8 bits		8 bits		8 bits		8 bits

Understanding IPv4 Addresses



- An IP address is broken down into two parts:
 - **Network Address**
 - Uniquely identifies each network
 - Your Street Name: 7682 **Wilshire Drive**
 - **Host Address**
 - Uniquely identifies each machine on a network
 - Your House Address: **4682** Wilshire Drive
- **Network Address + Host Address = IP Address**
- **4682 + Wilshire Drive = 4682 Wilshire Drive**

Understanding IPv4 Addresses



- Each device on a network is assigned an IP address, subnet mask and default gateway:
 - **IP Address:** Unique logical address assigned to each device on a network.
 - **Subnet mask:** Used by the device to determine what subnet it's on.
 - **Default Gateway:** The router's IP address that allows the device to communicate outside its local subnet.

```
C:\Windows\System32\cmd.exe

Connection-specific DNS Suffix . : 
Link-local IPv6 Address . . . . . : fe80::fc2d:3cbd:ab08:372f%15
IPv4 Address. . . . . : 192.168.0.106
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.0.1
```