THE YESHIVA PIRCHEI SHOSHANIM SHULCHAN ARUCH LEARNING PROJECT

Hilchos Shabbos Volume Three Lesson One



Revised and edited by: Rabbi Leibie Landsman

 $\hfill \ensuremath{\mathbb{C}}\hfill \ensuremath{\mathbb{C}}\hfi$

The Laws of Boneh as they pertain to Keilim

Shiur

Siman 313:6 Assembling Items on Shabbos Part I

Siman 313 Se'if 6¹

6 It is (6) forbidden to reassemble and to tighten a detachable bed on Shabbos, and if one tightens it tightly he is liable to bring a 10) Korban Chatas. However, if it is 11) (normally) slack it is permitted (provided that one does not tighten it). 12) It is permitted to assemble and separate on Shabbos parts of a cup made of different pieces. However, 13) there (7) is an opinion that says that a cup has the same rule as the bed.

<u>RAMA</u> If usually tightened, it is forbidden to reassemble even loosely.

Binyan Be'keilim²

This se'if is the forerunner of the Sugyas pertaining to Binyan be'keilim – constructing items and articles. Before starting this se'if, we must first learn the various Sugyas pertaining to Binyan be'keilim.

¹ This *Shiur* begins with *se'if 6*. The beginning of the *Siman* deals with *Halachos* pertaining to closure of windows and doors; which ones are considered *Binyan* and which ones are not. Please learn through them with *M"B*.

² A majority of the material in these shiurim regarding Boneh were taken from the excellent sefer, Binyan Shabbos

Beitza 22a³

The Gemora discusses assembling a candelabra on Yom Tov. Beis Shammai hold that it is forbidden because there is as *issur* of *Binyan be'keilim*. Beis Hillel hold that it is permitted because *ein Binyan be'keilim* – the Melacha of Boneh does not apply to constructing *Keilim*.

Since the *Halacha* follows Beis Hillel, it would appear that one is permitted to construct and assemble *Keilim* on Shabbos without restriction. However, we will see that this is not the case.

Shabbos 46a⁴

The *Gemora* says that a *Menorah* of *Chulyos* (rings), made from detachable parts may not be handled on Shabbos lest it falls apart and one will reassemble it on Shabbos.

Rashi there explains that if one reassembles the parts one will be "constructing a Keili".

The *Rishonim* point out that the above two *Gemoras* openly contradict each other. We will soon see *be*"*H* how they are reconciled.

Shabbos 47a⁶

The *Gemora* here introduces R' Aba and Rav Huna Bar Chiya who hold that it is permitted to reassemble a detachable bed on Shabbos (*Mitah shel Tarsiyim*).⁷

The *Gemora* then brings Rav and Shmuel who hold that for the very same action one is liable to bring a *Korban Chatas*, i.e. it is *assur mide'oraissa*.

The *Gemora* then asks on the lenient view of R' Aba and Rav Huna Bar Chiya from assembling a *Menorah* which is liable to bring a *Korban Chatas?* The *Gemora* answers that they hold like Raban Shimon Ben Gamliel that when the parts are loosely assembled, it is *muter*.

Plasterer's Brush – Assembled but then disassembled

Another *Keili* mentioned in the *Gemora* is a *Kaneh shel Sayadim* – a plasterer's (pole) brush. *Rashi* explains that it had extension fittings for various lengths. Although it is

³ Assembling a menorah made of rings (17 lines down)

⁴ Handling a detachable menorah (4 lines down)

⁵ 4 lines down "be'shel chulyos"

⁶ Assembling a detachable bed (11 lines up)

⁷ Rashi "Tarsiyim" explains that this bed was used by traveling coppersmith craftsmen

assur to fit them onto the existing stick, one would **not** be liable to bring a *Korban* for putting them together because it's not intended to remain that way as ultimately it would be disassembled.

We need to understand, what is the difference between a detachable bed, which apparently is destined to be disassembled, and yet is *assur mide'oraissa* and the case of the *Kaneh shel Sayadim* which would not be liable to bring a *Korban Chatas*.

Shabbos 102b⁸

We find a *machlokes* between Rav and Shmuel as to whether attaching the handle into a hammerhead is a *Melacha* of *Boneh* (Rav) or *Makeh be'patish* (Shmuel). How does this correspond with the *Gemora* that says *ein Binyan be'keilim?*

Rishonim

There are a number of approaches in the Rishonim regarding Binyan be'keilim. Let us examine them.

Rashi

Rashi in a number of places says that Boneh does not apply to Keilim at all; only Makeh be'patish applies.

[Rashi to Shabbos 74b "Ve'i chayetei" says that Boneh does not apply to making a barrel or an oven because - ein Binyan be'keilim. See also Rashi to Shabbos 47a "Chayav", Shabbos 122b "Gezeira"].

Ramban and Rambam

The Ramban, in the beginning of the 12th perek of Shabbos says that ein Binyan be'keilim refers only to assembly of Keilim that have come apart (i.e. in those cases one is not liable for transgressing Boneh). However, **making/building** a Keili from scratch is a transgression of Boneh.⁹ He adds that according to this opinion, if a Keili came apart in such a way that it requires a craftsman to reassemble it, putting it together again would be classified as Boneh mide'oraissa because subsequent to its detachment it lost its status as a Keili, so its assembly is considered **making** a Keili. The Maggid Mishne explains the Rambam (10:13) in this fashion as well. See the Rashba who mentions this opinion.

⁸ Inserting the handle into the hammerhead (15 lines up)

⁹ The Ramban differentiates between Binyan be'keilim – adding or assembling an existing keli, and Osseh – making a Keili, the latter being Boneh.

Tosefos

הללי: האי מאן דעייל שופתא בקופינא רב אמר חייב משום בונה. ואע״ג דקי״ל יאין בנין בכלים אור״י דהיינו דווקא בהחזרת (כ) בתי תריסין או במטרה של חוליות אבל בנין גמור מיחייב בכלים טכמו בקרקע כדאמרי׳ בס״פ כירה (לעיל דף מו.) גבי מטה של טרסיים אם תקע חייב חטאת ומחזיר קני מנורה חייב הטאת וקרן עגולה ואין חילוק בין כלים לתרקע אלא במקום שאין חיזוק ואומנית דבכלי לה חשיב בנין ובקרקע חשיב בנין ובפ׳ בכל מערבין ועירובין דף לה.) גבי נתנו במגדל דמוקי לה רבה ורב יוסף במגדל של עץ דמ״ם כלי הוא ואין בנין בכלים ומ״ם אהל הוא התם מיירי במנעול (ג) וקטיר במיתנא כדמסיק אביי לבסוף ולא הולרכו לפרש משום דפשיטא דבהכי איירי דבע״א יש סתירה ובנין בכלים וכן משמע מדמוקי אביי במנעול וקטיר במיתנה דהוי כמו הותמות שבכלים הא לאו הכי אסור ובריש סוגיא דפריך ואמאי הוא במקום אחד ועירובו במקום אחר הוא אע״ג דסתם מגדל של עך הוא דהוי כלי כדמוכח בכמה דוכתי מעיקרא הוה סבר דאיירי שאי אפשר לקחת העירוב . אלא על ידי סחירה גמורה:

Tosefosto states that merely reassembling a *Menorah* of rings (as in Beitza 22a) is not *Boneh*. The assembly of a detachable bed and inserting the stems into a candelabra or the like (Shabbos 47a) are cases of *Boneh* and would be liable for a *Korban Chatas just like building something attached to the ground. Tosefos* explain: the fundamental difference between *Boneh* with regards to items attached to the ground and *Boneh* by *Keilim* is whether a tight fit and craftsmanship are involved. For Boneh to apply to Keilim, a tight fit and craftsmanship must be used. By items affixed to the ground one is *chayav* even when no tight fit and craftsmanship are involved.

The logic is that if a *Keili* can be disassembled and reassembled easily, it is a sign that the *Keili* is not broken apart; it is merely taken apart. Therefore putting it back together is not *creating* something new. But if a tight fit and skill is required to assemble it, it shows that it is broken since it requires something more significant to put it back together again; it's considered then making a *Keili*.¹¹

Hence, what *Tosefos* means that assembling a *Menorah* made of rings is not *Boneh* is because it doesn't involve making a tight fit and craftsmanship. However, assembling the detachable bed and the stems of the candelabra require a tight fit so they are *Boneh de'oraissa*.

Indeed, *Tosefos* on Shabbos 46a (דחוליות) says that the *Menorah* was assembled loosely and that is why Beis Hillel permitted it. Accordingly, when the *Gemora Shabbos 47a* brings Raban Shimon Ben Gamliel's opinion who says that the bed is loosely assembled; it is because in such a manner it is not *Boneh*.

The difference between Ramban and Tosefos to Shabbos 102b

• *Tosefos* on Shabbos 74b as well as other *Rishonim* maintain that **making/building** a *Keili* in totality is *Boneh*.

¹⁰ Shabbos 102b "האי מאן". See also 74b "הביתא".

¹¹ We will soon explain what how this logic differs from the Ramban's logic

• According to *Tosefos* on 102b, using a tight fit and craftsmanship to make a *Keili* is *Boneh*.

The *sefer, Binyan Shabbos (page 33)* points out that the difference between the two approaches will be when adding a new part to an **existing** *Keili*. According to the *Ramban* the other *Rishonim* it would not be *Boneh* because one is not **making** a *Keili*, whereas according to *Tosefos 102b*, if it is attached with a tight fit, it is *Boneh*.

SUMMARY

Beitza 22a

- *Rashi* learns that there is never a case of *Binyan be'keilim*.
- *Tosefos* learns that Beis Hillel is referring to a candelabra whose pieces fit together loosely. (*Tosefos* in Shabbos 47a offer another answer as well).
- The other *Rishonim* learn that since when the *Menorah* is disassembled it is not called broken, putting it back together would not be *Boneh*.

Shabbos 47a

- *Rashi* learns that putting pieces tightly together can be *Makeh be'patish*.
- *Tosefos* learns that when a tight fit and craftsmanship are used it is *Boneb*.
- The other Rishonim learn that only when **making** a *Keili* it is *Boneh*.

Note: The difference between *Rashi* and *Tosefos* in this case will be if breaking it apart is a *Melacha*. According to *Rashi* not, but according to *Tosefos* if making ii is *Boneh* then breaking it is *Soter* (the *Melacha* of destroying a structure)

Tekiah, Hidduk and Rafui

In the *Beraissa* in Shabbos 47a (2 lines from the bottom) we can ascertain that there are three levels of attachments.

- Tekiah tightening with force (or nailing together) Level 1
- Rafui loose fit Level 3
- *Hidduk* somewhere between *Tekiah* and *rafui*.¹² Level 2

¹² B"Y in name of Rashba

One can understand this from the opening statement of the *Mechaber*; when he says that it is forbidden to **tighten**, and if one did *Tekiah* he has transgressed an *Issur de'oraissa*.

The *Beis Yosef¹³* brings the *Rashba* who says that tightening it semi tight - *Hidduk* - is also *assur*. This is the intermediate stage between tight and loose fitting. It is *assur* because of concern that he may tighten it with force.

Normally Loose

The *Tur* says the following: A detachable bed must not be assembled,¹⁴ and if one tightened it with force one is liable to bring a *Korban*, but *if it is losse* it is permitted.

The *Beis Yosef*¹⁵ clarifies that the words *if it is loose* mean that it is **normally** attached loosely, not that one **happens** to attach it loosely. The *Nafka mina* (practical difference) is that if regularly *"Hidduk"*¹⁶ is used, then it may not be attached even loosely because he may end up doing *Hidduk*.

The *Beis Yosef* proves this from another sentence in the *Tur*, which says that one may assemble a cup with a detachable base – *because it is not usually attached with Hidduk;* implying that one may not attach it even loosely if it is usually attached somewhat tightly.

Chazon Ish

The *Chazon Ish*¹⁷ explains that the *machlokes* Tana Kama and RSB"G is regarding *Hidduk;* a middle ground between *tight* and *loose* (Level 2).

Something which is attached tightly - *Tekiah* - is *assur* even according to RSB"G. If it is *Hidduk* then *RSB"G* permits it because he doesn't fear that one will tighten it real tight which would be liable to bring a *Korban Chatas*.

The *Chazon Ish*¹⁸ refutes all the *Beis Yosef's* proofs and says that according to *Halacha* there is no *Gezeira*, and one is permitted to loosely attach all items, <u>even if normally</u> they would be attached with force.

¹⁴ Some learn that it means it must not be done with *hidduk*

¹⁵ Ibid.

¹⁶ The M"B 48 says that hidduk here means Tekiah

¹⁷ Siman 50:10

¹³ D"h Mitah shel perakim

The *Mechaber* did not mention this *Gezeira* in the *Shulchan Aruch*, but the *Rama* did. The <u>M''B maintains that there is such a *Gezeira*, as we will soon see.</u>

Tur vs. the Maharam Rotenberg

The *Tur* brings the *Maharam* of *Rottenburg* who says that it is forbidden to assemble a cup with its detachable base. The *Tur* himself disagrees. (See inside).

We find two explanations regarding this *machlokes* - the *Shulchan Aruch Ha*Rav¹⁹ and the *Chazon Ish*²⁰ on one hand and the $M''B^{21}$ on the other.

Shulchan Aruch HaRav

The *Tur* holds that a *Keili* which is not normally tightened tightly *(Tekiah* – Level 1) may be **partially tightened** (Level 2) because there is no reason to fear that one will do any more than that.

The *Maharam* Rottenburg holds that he is only permitted to attach it **loosely (Level 3)** because otherwise he may tighten it with force.

Shulchan Aruch HaRav

The *Shulchan Aruch HaRav* rules like the stringent opinion of the *Maharam Rotenberg*; but says if there is great necessity one may rely on the *Tur*, if that cup is usually only attached loosely.

Chazon Ish

The *Chazon Ish* said that one may be lenient and rely on the *Tur* who says that one may do *Hidduk* to a *Keili* that is usually not tightened tightly *(Tekiah)*. This implies that the *Maharam Rottenburg* holds that even when *Tekiah* would <u>not</u> be commonly done it is still *assur* to do *Hidduk*.

M"B

The M'B 45 (based on Taz's interpretation) that the *Tur* holds that an item that is not usually tightened may be attached **loosely**, and the *Maharam Rotenberg* holds that it is

¹⁸ Siman 50:10. The Chazon Ish does not disagree with Tosefos 48a who mentions a Gezeira with regards to inserting the leg of a bench. However, he explains that Tosefos has a different understanding of the Sugya and therefore since the Rambam and the Tur did not write such a Halacha, and because it involves a de'rabanan, it is muter.

¹⁹ Siman 313:21

²⁰ Ibid, "Ve'haMechaber".

²¹ Siman 313:45 and Sha'ar Hatziyun 30.

forbidden since it is normal to do *Hidduk*, then even when attaching **loosely**, we are concerned he will do it tightly. In the *Sha'ar Hatziyun 30* he points out that the *Tur's* language in his presentation of this *Halacha* does not fit with this explanation, because he states that to attach it loosely is permissible in any event and the *Taz* explains that he is referring only to a case where he usually attaches it loosely.

SUMMARY

According to the *Shulchan Aruch HaRav* and the *Chazon Ish*, everybody agrees that if an item is not usually attached with *Tekiah* (Level 1), it is permitted to attach it **loosely** (Level 3). The *Tur* holds that even *Hidduk* (Level 2) is permitted.

The M'B learns that the *Maharam* holds that even **loosely** attaching is forbidden, similar to the detachable bed.

The *M*"B paskens that one should not *lechatchila* attach it even loosely, but when it is necessary one may rely on the *Tur*, and attach it loosely. (According to the other opinions, attaching loosely is always permitted).

Siman 313:6 Assembling Items on Shabbos Part II

We will now *be"H* learn through the *Mechaber*, *Rama* and *Poskim*, based on the *Gemoras* and *Rishonim* which we learned in the previous section, and apply it to common everyday situations.

Mechaber

It is forbidden to reassemble and to tighten a detachable bed on Shabbos.

The *Taz 6* says that one would be transgressing the *Melacha* of *Makeh be'patish*, whereas the *M''A 10* says one is **making** a *Keili*, which is based on the *Rishonim* who say that when one **makes** a *Keili* it is the *Melacha* of *Boneh*.

The *Elya* Raba 8 says that the practical difference between *Makeh be'patish* and *Boneh* is that for the former it is sufficient to fashion a *Keili* in a way that the parts adhere to each other, but for *Boneh* one has to use force and craftsmanship. See *M'B* 41.

The explanation being that *Makeh be'patish* is the completion of a *Keili*, and if this is accomplished even through mild adhesion of the various parts of the *Keili*, it is sufficient. *Boneh* with *Keilim* is only being accomplished when a significant change or

improvement is performed to the items. Therefore, only when wedged together through force or craftsmanship can we say that a change has come about and something has been built. See also the *Iggros Moshe*²² where he explains why *Boneh*, with regards to the ground and items attached to the ground do not require attaching with force whereas by *Keilim* they do.

Mechaber

However, if it is (normally) slack it is permitted to begin with (provided that one does not tighten it).

If one **loosely** reattaches or reassembles parts of a *Keili*, and their normal usage is as such, it is permitted. This lines up with the *Rama* at the end of the *se'if* that states one may only reassemble it if it is normally is slack.

Screw-on attachments

M"A

The M''A 12 says that screwing²³ a *Keili* together tightly where it will be used in that manner, is *assur* according to all opinions. If it is meant to be opened and taken apart for use, like a screw-on lid, then it is not considered *Boneh* at all.

Taz

The *Sha'ar Hatziyun 32* learns that the *Taz 7* holds that using a screw-on attachment to put something together is only equivalent to *Hidduk* (Level 2) and therefore only an *Issur de'rabanan*. He notes that the *M''A* seems to consider screwing something together tightly equivalent to *Tekiah* (Level 1) which is an *Issur de'oraissa*. Although the *Ma'amar Mordechai* learns that using a screw should be *muter* or at the most an *Issur de'rabanan*, he concludes that one must follow the *M''A*.

Part of the *Ma'amar Mordechai's* argument is that screwing parts of a *Keili* together does not involve *Tekiah* and it cannot be even be done through *Tekiah*. As we see in the *Rishonim* (see *M''A* 11) - *Tekiah* involves force and craftsmanship; connecting by screwing parts of a *Keili* together do not require any force at all.

The response to this argument is that the **quality** of the attachment is what matters. A screw is used to **securely** join individual pieces. Therefore, even though the pieces can

²² Orach Chaim Vol.1 siman 122, anaf 5

²³ The Levushei Serad explains that the M"A is referring to screws (sbroif), and the Sha'ar Hatziyun 32 says that the M"A equates a screw to Tekiah, i.e. an issur de'oraissa.

be joined with ease, since the pieces adhere strongly to each other it is considered *Tekiah* (Level 1).

The Halacha is that screwing things together is assur. (M"B 45, Shulchan Aruch HaRav 21)

Rambam (10:13) - Attaching two pieces of wood with a nail or screw would be an *Issur* de'oraissa according to all opinions because it is inserted with great force and joins the two items. Wedging two pieces of wood is also the same. The *Rambam* learned this from the case of the *Gemora Shabbos 47a* that attaching the boards of a bedframe is *Boneh. (Maggid Mishne)*. This *Halacha* is *paskened* by the *Mechaber* in *se'if 9*.

Practical Cases

The Binyan Shabbos provides some practical examples of this Halacha:

Door handle

It is forbidden to reinsert a free-standing closet door handle, even loosely, because it is usually attached with screws. Therefore there is a *Gezeira* lest one will reattach it through *Tekiah*. (On the other hand a handle belonging to a house door is forbidden to reinsert loosely because of *Boneh* even without a *Gezeira*, since attaching something even loosely to a structure attached to the ground, is *assur* under the *Melacha* of *Boneh*).

Eyeglass

If the temple detaches from a pair eyeglasses it is *assur* to reattach it because of the same *Gezeira*. Also, if the eyeglass fell out, one may not reinsert it even loosely. (In *Siman 308* we learned that the glasses are *Muktze* lest one tightens the screw). If the frame is made from plastic it may be permitted to reinsert (we will see soon), as it cannot be²⁴ tightened.

Broomstick

If the stick of the broomstick detached it may not be reinserted, even without tightening, because the norm is to tighten it. We see from Rashi (47b "yitka") that there is also concern that one will use screws and nails to fasten the detached piece into place.

²⁴ There are various situations which may merit reinserting the eyeglass back into the frame, and a competent Rav should be asked. This could either be because it is common for it to fall out and therefore its reinserting is *bidduk* at the most, or because the threads are worn out and *Tekiah* will be avoided.

THE YESHIVA PIRCHEI SHOSHANIM SHULCHAN ARUCH PROJECT ORACH CHAIM | SHABBOS | SIMAN 313:6 | VOL.III LESSON 1

Lids and Covers

The M"A 12 continues that lids and covers of *Keilim*, even though they are screwed onto them, are permitted to be opened and closed on Shabbos, because they are made to function so.

שם (°) שעשוים כד. שעבוים בארויף וגוכניולפרוק ולהחזירןסיינו לשישהכיסוי חין עשוי לקיום ולח מיקרי עושה כלי וגם לח נמר מלחכה כיון שעדיין ינם לח נמר מלחכה כיון שעדיין יפחחוכו משליכ בכום עלמו הם יש בו ברוייף : סקייכ (°) כבטעמרעיר.

The Levushei Serad explains that closing a Keili is not considered **making** a Keili because it is not closed permanently. Nor is it Makeh be'patish since it will be undone and this is not its end state. However, screwing on a base of a cup is assur.

Taz

The $Ta\chi$ 7 asks that our flasks, which are closed with a metal screw, should be *assur* to tighten or even semi tighten, just as the *Mechaber* forbids a cup to be screwed together or unscrewed.

He answers that the detachable cup is used only when the pieces are assembled and its detaching is not part of its usage, whereas the flask is continuously opened and closed and is part of its usage.

Baby's bottle:

HaRav Shlomo Zalman Auerbach $\mathfrak{A}^{p^*p^s}$ explains that when the usage requires it to be opened, the closing cannot be considered **making** a *Keili*; rather it's just **using** the *Keili*. Therefore, it is permitted to screw a baby's bottle shut, because it has to be opened in order to refill it. If it would close and not reopen, it would be worthless.

Saltshaker:

It is permitted to tightly close a saltshaker, even though a month may go by before reopening it, because eventually the saltshaker will be reopened for refilling.

Soda siphon:

It is permitted to open and close a soda siphon in order to use it, because it is opened and closed as part of its use.

Question:

We learned in the *Gemora Shabbos 47a* that a detachable bed is forbidden to assemble on Shabbos and tightening it involves an *Issur de'oraissa* even though it also is not assembled forever. Several explanations are given; we will bring two of them.

²⁵ Minchas Shlomo page 70.

Chazon Ish – answer #1

This answer is based on the previous mentioned Taz. The saltshaker and baby's bottle must be opened in order to continually use them, whereas the detachable bed does not need to be detached in order to continue to use it. The bed is only taken apart in order to transfer it from place to place and not for its use.

Minchas Shlomo – answer #2

*Rav Shlomo Zalman Auerbach*²⁶ says that in the case of the bed it was attached with force; with screws and bolts (*Rash*). Therefore it is called an assembly that needs skill, which is forbidden even if it is undone many times a day. The aforementioned *Keilim* are all easy to assemble, and since they are assembled and disassembled as part of their routine usage, there's no concern to do it on Shabbos.

Thermos Flask:

Likewise the inner bottle of the thermos flask does not need to be taken apart from its outer (plastic or metal) casing in order to be used. Therefore, screwing it together on Shabbos would be making a *Keili*, and is forbidden.

On the other hand, the cup and lid of a thermos flask are screwed on, but are meant to be taken apart for use. Therefore it is permitted to screw the cup onto the thermos jar.

Lego:

Lego pieces are also made to be assembled and taken apart. Therefore, they too are muter to play with on Shabbos. (*Binyan Shabbos* in the name of *Rav Shlomo Zalman Auerbach page 47*).

A Shtender:

The timeless shtender that is commonplace in yeshivos (used for placing a sefer) has been perfected to be adjustable²⁷ and can now be raised and lowered by loosening and tightening the large screws on either side of the shtender Since this is easily done and it is fashioned to operate in this manner, it is permitted.²⁸

Directional screw:

The same applies to adjustable height standup fans. Since one is not **making** a *Keili* by tightening the screw, rather one is **adjusting it** for the use of the *Keili* (fan); it is neither *Makeh be'patish* nor *Boneh*.

²⁶ Ibid page 72 and *Avnei Nezer siman* 211:20. See also *SS''K* 3rd volume chapter 11:133.

 $^{^{27}}$ See *M*"A s"k 13 that discusses *shtenders* which were similar to the collapsible beds. However, those were not adjustable to be used at different heights.

 $^{^{28}}$ Shevet HaLevi Vol. 6 siman 32. See Binyan Shabbos page 51. The screws only apply pressure on the inner pole preventing it from sliding up or down. If the screws pierce the metal from one side to the other, which might be a problem even if done on a regular basis.

Where Tekiah is not Possible

M"A 9 says that the *Gezeira* of *sheh'ma yitka* – lest one tightens it, only applies to parts that can be wedged together. Hinged items of durable materials which cannot be tightened are not included in this *Gezeira*.

The Aruch Hashulchan 313:29 explains as follows: wooden pegs at the top and bottom of doors are likely to bend out of shape and require fixing, are forbidden under the Gezeira of sheh'ma yitka (lest he may force them together). Whereas metal hinges, where the bolt just slides into the hole and cannot be tightened or altered to fit together, are not included in this Gezeira. Since Hidduk is only assur lest one does Tekiah, if the particular item cannot be tightened, it is muter to assemble even with Hidduk.

Plastic glasses:

Accordingly, reinserting an eyeglass lens into its plastic frame is only *Hidduk* (if great force is needed to reinsert it, it might be *Tekiah*) and since *Tekiah* cannot be done in plastic, it is *muter* to reinsert it.²⁹

Baby's tray:

Attaching a tray to a baby's highchair is also a connection done with *Hidduk*. Since it too cannot be tightened with *Tekiah* (since he would not screw it into place or glue it), it is *muter* to attach it. Additionally, it should be permitted because it is normally attached and detached as part of its normal use.

Adding a leaf to a table:

Based on this *se'if*, the *Poskim (SS''K 24:23)* permit adding leaf extensions to tables on Shabbos, because it is normal to use it by adding or removing its leaves.

A) It does not involve *Tekiah*. B) One would not want to do *Tekiah*. C) It is attached and detached as part of its use.³⁰

Syringe:

Rav Shlomo Zalman Auerbach corresponded for many years with Rav Yitzchok Weiss (author of the Minchas Yitzchok) regarding the Halacha of attaching a needle to a syringe on Shabbos. In the 3rd volume of SS"K, 35:63, Rav S. Z. Auerbach contends that items

²⁹ If great force and skill is needed to reinsert it, it might be *Tekiah* and assur to reinsert. However, it may still be *assur* because of *Tikun mana* <u>unless it is still loose and likely to fall out again</u>.

³⁰ The question is that this should be compared to the plasterer's brush, which is also made of detachable parts and there is a *Gezeira sheh'ma yitka*. *Rav Shlomo Zalman Auerbach* addresses this problem with regards to closing *Keilim*, both in the *Binyan Shabbos* and in the *Shulchan Shlomo*, and says that the brush becomes a new *Keili* every time, whereas in these cases it is only the **using** of the *Keili* and not the **making** of one. This will answer the case of adding leaves to a table as there too, one is making use of the extra space provided it's not like building a table.

with are attached for a short period of time which will then be disposed, are not subject to the *issur* of *Boneh*. This is a whole new dimension of the parameters of *Boneh* as discussed there in detail.

Fastening a Screw

The majority of *Poskim* hold that it is totally forbidden to erect or fasten items together using screws.

Broomsticks, eyeglasses, playpens (which are connected by nuts and bolts) fall in this category.

Cannot be tightened

Items which cannot be tightened – plastic pieces which fit into each other; glasses with a plastic frame, may be fastened (*Hidduk*, not *Tekiah*) as there is no *Gezeira* lest one might come to do *Tekiah*.

Accordingly, travel-type playpens which are self-contained with interlocking parts and pegs, are also *muter* to be erected on *Shabbos* since they are manufactured in this manner and they do not need adjustment nor can they be adjusted.

Lids and Tops

This screwing is permitted because it is intended for opening and closing and it is an integral part of its use. If it is taken apart for storage reasons etc., since for its use it does not require dismantling, the assembly is *assur*.

Summary

- Assembling a candelabra is a *machlokes* Beis Shammai and Beis Hillel whether there is an *issur Binyan* by *Keilim. (Beitza Daf 22a)*
- *Menorah shel chulyos* is *Muktze* since it can easily fall apart and he may reconstruct it. *(Shabbos Daf 46a)*
- *Mitah shel Tarsiyim* was loosely connected and there is an opinion (RSB"G) that permits attaching it on Shabbos and another opinion that holds it is *assur mide'oraissa. (Shabbos 47a)*
- *Kaneh shel sayadim* was an adjustable tool that was used for plastering and its handles were connected in varying lengths and they are not subject to *Boneh*. *(Ibid.)*
- Attaching a handle into a hammerhead is a *machlokes* between Rav and Shmuel whether it is *Boneh* (Rav) or *Makeh be'patish* (Shmuel).
- Rashi Boneh does not apply to Keilim at all.
- Ramban making/building a Keili from scratch is a transgression of Boneh.
- *Tosefos (Shabbos Daf 102b) Boneh* applies to attaching **parts of** *Keilim*, making a tight fit by using force and craftsmanship.
- There is a *machlokes* in the *Poskim* whether one may attach something using *Hidduk* (Level 2) on something that is usually connected tightly.
- There is a distinction between screwing together parts that are used in that manner and screwing a lid onto a jar that needs to be opened to use the *Keili*.

Review Questions

- 1. Is there *Binyan be'keilim* or not? Begin with the *Gemora* in *Beitza*, and reconcile it with the other *Gemoras* according to the various *Rishonim*.
- 2. What are three methods of attaching parts to each other?
- 3. Is attaching loosely always permitted? (This would depend on the *Beis Yosef* and the *machlokes Shulchan Aruch HaRav* and *M'B* in the understanding of the *Tur* and Maharam of Rottenburg).
- 4. What is the *Elya Raba's* explanation as to the difference between *Makeh be'patish* and *Boneh*?
- 5. When is one permitted to loosely attach items together?
- 6. Which type of screwing is permitted?
- 7. Why is it permitted to screw a lid onto a mayonnaise jar?
- 8. According to the rules we have learned, is it permitted to attach the lining of a coat using the zipper or buttons?
- 9. What is the difference between assembling the bed mentioned in the *Gemora*, which involves an *issur de'oraissa*, and tops and lids?

Review Answers

- 1. Rashi learns that there is only Makeh be'patish but no Boneh, and other Rishonim learn that making a Keili from scratch involves Boneh but assembling a Keili that has come apart is not Boneh.
- 2. תקיעה, הידוק רפוי.
- 3. See the section entitled Normally Loose.
- 4. The *Elya Raba* says that the practical difference between *Makeh be'patish* and *Boneh* is that for the former it is sufficient to fashion a *Keili* in a way that the parts adhere to each other, but for *Boneh* one has to use force and craftsmanship.
- 5. When it is normal to leave them loosely attached.
- 6. The type that attaches parts of a *Keili* temporarily, such as baby bottles, salt shakers etc.
- 7. We do not see it as a completion of a *Keili* as its use is to open and close.
- 8. Seeing that the lining is removed at the beginning of spring and it is normal to attach it to the coat and remove it, it is not seen as "finishing" a product and it is *muter*.
- 9. Taking the bed apart is not necessary for its use and therefore its assembly is considered making a *Keili*, whereas fastening a lid is only temporary because it must be opened as part of its natural use, and therefore its closing is not the final stage