



Dr Bret Scher Reference List

1. Aude, Y.W., Agatston, A.S., Lopez-Jimenez, F., Lieberman, E.H., Almon, M., Hansen, M., Rojas, G., Lamas, G.A., Hennekens, C.H. (2004). The national cholesterol education program diet vs a diet lower in carbohydrates and higher in protein and monounsaturated fat: a randomized trial. *Archives of Internal Medicine*, 164(19): 2141-2146. [Doi: 10.1001/archinte.164.19.2141](https://doi.org/10.1001/archinte.164.19.2141).
2. Brehm, B.J., Seeley, R.J., Daniels, S.R., D'Alessio, D.A. (2003). A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *Journal of Clinical Endocrinology and Metabolism*, 88(4): 1617-1623. [ABSTRACT](#)
3. Brinkworth, G.D., Noakes, M., Buckley, J.D., Keogh, J.B., Clifton, P.M. (2009). Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *American Journal of Clinical Nutrition*, 90(1): 23-32. [ABSTRACT](#)
4. Castelli, W.P. (1988). Cholesterol and lipids in the risk of coronary artery disease--the Framingham Heart Study. *Canadian Journal of Cardiology*, 4(suppl A): 5A-10A. [ABSTRACT](#)
5. Da Luz, P.L., Cesena, F.H., Favarato, D., Cerqueira, E.S. (2005). Comparison of serum lipid values in patients with coronary artery disease at <50, 50 to 59, 60 to 69, and >70 years of age. *American Journal of Cardiology*, 96(12): 1640-1643. [Doi: 10.1016/j.amjcard.2005.07.080](https://doi.org/10.1016/j.amjcard.2005.07.080).
6. De Souza, R.J., Mente, A., Maroleanu, A., Cozma, A.I., Ha, V., Kishibe, T., Uleryk, E., Budylowski, P., Schünemann, H., Beyene, J., Anand, S.S. (2015). Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease, and type 2 diabetes: systematic review and meta-analysis of observational studies. *British Medical Journal*, 351: h3978. [Doi: 10.1136/bmj.h3978](https://doi.org/10.1136/bmj.h3978).
7. Fung, T.T., van Dam, R.M., Hankinson, S.E., Stampfer, M., Willett, W.C., Hu, F.B. (2010). Low-carbohydrate diets and all-cause and cause-specific mortality: two cohort studies. *Annals of Internal Medicine*, 153(5): 289-298. [Doi: 10.7326/0003-4819-153-5-201009070-00003](https://doi.org/10.7326/0003-4819-153-5-201009070-00003).

8. Hallberg, S.J., McKenzie, A.L., Williams, P.T., Bhanpuri, N.H., Peters, A.L., Campbell, W.W., Hazbun, T.L., Volk, B.M., McCarter, J.P., Phinney, S.D., Volek, J.S. (2018). Effectiveness and Safety of a Novel Care Model for the Management of Type 2 Diabetes at 1 Year: An Open-Label, Non-Randomized, Controlled Study. *Diabetes Therapy*, 9(2): 538-612. [Doi: 10.1007/s13300-018-0373-9](https://doi.org/10.1007/s13300-018-0373-9).
9. Hite, A.H., Berkowitz, V.G., Berkowitz, K. (2011). Low-carbohydrate diet review: shifting the paradigm. *Nutrition in Clinical Practice*, 26(3): 300-308. [Doi: 10.1177/0884533611405791](https://doi.org/10.1177/0884533611405791).
10. Howard, G., O'Leary, D.H., Zaccaro, D., Haffner, S., Rewers, M., Hamman, R., Selby, J.V., Saad, M.F., Savage, P., Bergman, R. (1996). Insulin Sensitivity and Atherosclerosis. *Circulation*, 93(10): 1809-1817. [Doi: 10.1161/01.CIR.93.10.1809](https://doi.org/10.1161/01.CIR.93.10.1809).
11. Khaw, K.T., Wareham, N., Bingham, S., Luben, R., Welch, A., Day, N. (2004). Association of hemoglobin A1c with cardiovascular disease and mortality in adults: the European prospective investigation into cancer in Norfolk. *Annals of Internal Medicine*, 141(6): 413-420. [ABSTRACT](#)
12. Khera, A.V., Emdin, C.A., Drake, I., Natarajan, P., Bick, A.G., Cook, N.R., Chasman, D.I., Baber, U., Mehran, R., Rader, D.J., Fuster, V., Boerwinkle, E., Melander, O., Orho-Melander, M., Ridker, P.M., Kathiresan, S. (2016). Genetic Risk, Adherence to a Healthy Lifestyle, and Coronary Disease. *New England Journal of Medicine*, 375(24): 2349-2358. [Doi: 10.1056/NEJMoa1605086](https://doi.org/10.1056/NEJMoa1605086).
13. Lemieux, I., Lamarche, B., Couillard, C., Pascot, A., Cantin, B., Bergeron, J., Dagenais, G.R., Després, J.P. (2001). Total cholesterol/HDL cholesterol ratio vs LDL cholesterol/HDL cholesterol ratio as indices of ischemic heart disease risk in men: the Quebec Cardiovascular Study. *Archives of Internal Medicine*, 161(22): 2685-2692. [ABSTRACT](#)
14. Meckling, K.A., O'Sullivan, C., Saari, D. (2004). Comparison of a Low-Fat Diet to a Low-Carbohydrate Diet on Weight Loss, Body Composition, and Risk Factors for Diabetes and Cardiovascular Disease in Free-Living, Overweight Men and Women. *Journal of Clinical Endocrinology & Metabolism*, 89(6): 2717-2723. [Doi: 10.1210/jc.2003-031606](https://doi.org/10.1210/jc.2003-031606).
15. Millán, J., Pintó, X., Muñoz, A., Zúñiga, M., Rubiés-Prat, J., Pallardo, L.F., Masana, L., Mangas, A., Hernández-Mijares, A., González-Santos, P., Ascaso, J.F., Pedro-Botet, J. (2009). Lipoprotein ratios: Physiological significance and clinical usefulness in cardiovascular prevention. *Vascular Health and Risk Management*, 5: 757-765. [ABSTRACT](#)
16. Pvaschitz, N.G., Strand, E., Norekvål, T.M., Dierkes, J., Dahl, L., Svingen, G.F., Assmus, J., Scharthum-Hansen, H., Øyen, J., Pedersen, E.K., Dreven, C.A., Tell, G.S., Nygård, O. (2015). Dietary intake of saturated fat is not associated with risk of coronary events or mortality in patients with established coronary artery disease. *Journal of*

Nutrition, 145(2): 299-305. [Doi: 10.3945/jn.114.203505](https://doi.org/10.3945/jn.114.203505).

17. Ridker, P.M., Danielson, E., Fonseca, F.A., Genest, J., Gotto, A.M. Jr, Kastelein, J.J., Koenig, W., Libby, P., Lorenzatti, A.J., MacFadyen, J.G., Nordestgaard, B.G., Shepherd, J., Willerson, J.T., Glynn, R.J. (2008). Rosuvastatin to prevent vascular events in men and women with elevated C-reactive protein. *New England Journal of Medicine*, 359(21): 2195-2207. [Doi: 10.1056/NEJMoa0807646](https://doi.org/10.1056/NEJMoa0807646).
18. Ridker, P.M., Rifai, N., Rose, L., Buring, J.E., Cook, N.R. (2002). Comparison of C-Reactive Protein and Low-Density Lipoprotein Cholesterol Levels in the Prediction of First Cardiovascular Events. *New England Journal of Medicine*, 347(20): 1557-1565 [Doi: 10.1056/NEJMoa021993](https://doi.org/10.1056/NEJMoa021993).
19. Sachdeva, A., Cannon, C.P., Deedwania, P.C., Labresh, K.A., Smith, S.C., Dai, D., Hernandez, A., Fonarow, G.C. (2009). Lipid levels in patients hospitalized with coronary artery disease: an analysis of 136,905 hospitalizations in Get With The Guidelines. *American Heart Journal*, 157(1): 111-117. [Doi: 10.1016/j.ahj.2008.08.010](https://doi.org/10.1016/j.ahj.2008.08.010).
20. Samaha, F.F., Iqbal, N., Seshadri, P., Chicano, K.L., Daily, D.A., McGrory, J., Williams, T., Williams, M., Gracely, E.J., Stern, L. (2003). A Low-Carbohydrate as Compared with a Low-Fat Diet in Severe Obesity. *The New England Journal of Medicine*, 348(21): 2074-2081. [Doi: 10.1056/NEJMoa022637](https://doi.org/10.1056/NEJMoa022637).
21. Saslow, L.R., Daubenmier, J.J., Moskowitz, J.T., Kim, S., Murphy, E.J., Phinney, S.D., Ploutz-Snyder, R., Goldman, V., Cox, R.M., Mason, A.E., Moran, P., Hecht, F.M. (2017). Twelve-month outcomes of a randomized trial of a moderate-carbohydrate versus very low-carbohydrate diet in overweight adults with type 2 diabetes mellitus or prediabetes. *Nutrition and Diabetes*, 7(12): 304. [Doi: 10.1038/s41387-017-0006-9](https://doi.org/10.1038/s41387-017-0006-9).
22. Tay, J., Brinkworth, G.D., Noakes, M., Keogh, J., Clifton, P.M. (2008). Metabolic effects of weight loss on a very-low-carbohydrate diet compared with an isocaloric high-carbohydrate diet in abdominally obese subjects. *Journal of the American College of Cardiology*, 51(1): 59-67. [Doi: 10.1016/j.jacc.2007.08.050](https://doi.org/10.1016/j.jacc.2007.08.050).
23. Yancy, W.S., Olsen, M.K., Guyton, J.R., Bakst, R.P., Westman, E.C. (2004). A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Annals of Internal Medicine*, 140(10): 769-777. [ABSTRACT](#)