

Renovation, Repair, & Painting Refresher Examination

Please do not write on this test. Please turn this test in to the instructor when you turn in your answer sheet. Please do not talk with other class attendees while this test is being administered. If you have a question concerning any of the contents, come quietly to the proctor's desk and we will discuss.

1. Beginning in April of 2010, any contractor that will be performing renovation, repair, or painting in target housing will be required to have completed which of the following:
 - A. A HUD training course for lead-based paint abatement.
 - B. An EPA approved painting course.
 - C. A Certified Renovator Course provided by an EPA accredited training provider.
 - D. An online course provided by local states.

2. The successful completion of this training course will satisfy all requirements for lead safe work practices training under the RRP Rule for which of the two agencies.
 - A. HUD and EPA
 - B. HUD and OSHA
 - C. EPA and OSHA
 - D. EPA and states, local governments, and Indian tribes

3. Evaluate the following statement: In Florida the definition of a lead-based paint is the same as that definition used by the EPA and the HUD.
 - A. True
 - B. False

4. Lead is hazardous to adults. Which group below would be especially at risk from lead exposure?
 - A. Lead smelter workers.
 - B. Glass blowers.
 - C. Pregnant women
 - D. Lead abatement workers.

5. Which statement best sums up the hazards of lead
 - A. Lead is easy to clean up because it is visible
 - B. A tiny amount of lead can be extremely harmful.
 - C. Lead is only a problem when you breathe it in.
 - D. Lead can lead to viral infections.

6. Which of the following choices best summarizes the definition of a Child-Occupied Facility?
- A. Visited regularly by the same child, under six years of age.
 - B. The visits are on at least two different days within any week (Sunday through Saturday period) provided that each day's visit lasts at least 3 hours.
 - C. Combined weekly visits last at least 6 hours, and the combined annual visits last at least 60 hours.
 - D. All three of the above combine to define a Child-Occupied Facility.
 - E.
7. There are some exclusions to the RRP Rule. Which of the following is not an acceptable exclusion?
- A. Interior work disturbing greater than 6 square feet of lead-based paint per room.
 - B. Renovations performed by home owners in their own home.
 - C. Renovation activities that do not affect lead-based paint.
 - D. Interior work disturbing less than 6 square feet of lead-based paint per room.
8. Which of the following statements is most correct:
- A. The renovation, repair, or painting firm only has to have a trained remediator on staff.
 - B. For the RRP rule only individuals need be certified to do RRP work in target housing.
 - C. For the RRP rule it is necessary for every single worker performing RRP work to have successfully attended a training class for RRP.
 - D. To comply with the RRP rule firms must submit an application and pay a fee to the EPA.
9. To maintain compliance with the RRP rule, a certified renovator must complete a refresher training course how often?
- A. Every year.
 - B. Every two years
 - C. Every four years
 - D. Every five years
 - E. There are no refresher requirements.
10. Which statement best defines a HUD property?
- A. A federally-owned or federally assisted target housing or a federally-owned target house being sold.
 - B. A property that has applied for Federal assistance.
 - C. A property that has been foreclosed.
 - D. A property that is owned by the EPA.

11. True or false-the EPA guidelines for RRP and the HUD guidelines for performing renovation, remodeling, and rehabilitation in residential housing constructed prior to 1978 are exactly the same.
- A. True
 - B. False
12. Prior to beginning any work for RRP in a pre 1978 target housing structure, the residents of the structure must be given which of the following documents.
- A. The bill for the work.
 - B. The EPA regulations governing RRP in target housing.
 - C. The pamphlet titled Renovate Right.
 - D. The HUD pamphlet titled The Wrong Way to Renovate.
13. Which of the following tests for lead based paint can be performed by a Certified Renovator?
- A. X-Ray Fluorescence Instrument
 - B. Collection and analysis of paint chip samples.
 - C. On-site atomic absorption analysis.
 - D. EPA-recognized test kit.
 - E. None of the above
14. The definition of containment in the RRP rules is best described by which of the following choices.
- A. A place where you will be sentenced if you don't follow the rules.
 - B. A system of temporary barriers used to isolate a work area to capture dusts and debris.
 - C. The thick bags within which you must contain all dust and paint debris.
 - D. A system of decontamination chambers, work stations, equipment rooms, and air locks.
15. Which of the following answers is most correct?
- A. Lead-containing dust at an interior location may migrate up to 6 feet from the surface being renovated.
 - B. Lead-containing dust at an exterior location may migrate up to 10 feet from the surface being renovated.
 - C. Lead-containing dust is a serious health hazard.
 - D. All of the above are correct.
16. Which is the best option for protecting belongings that can be removed from an interior renovation area?
- A. Cover them with polyethylene sheeting and secure the seams.
 - B. Carefully clean them with HEPA vacuums after all the dust has settled.
 - C. Wet wipe them with clean damp clothes.
 - D. Remove them from the renovation area before any dust is generated.

17. True or False-All floors should be covered during interior renovation work that disturbs lead-based paint.
- A. True
 - B. False
18. Which of the following items should be closed and sealed during RRP activities?
- A. Windows and doors.
 - B. Windows need not be sealed and should be opened during work..
 - C. Windows, doors, and HVAC vents.
 - D. All openings within 20 feet of the renovation area.
19. What is the upper limit of temperature for which a heat gun is prohibited from removing lead-based paint from surfaces during a renovation?
- A. 1000 degrees Celsius
 - B. 1000 degrees Fahrenheit
 - C. 10,000 degrees Fahrenheit
 - D. 1,100 degrees Fahrenheit
20. Choose a good cleaning technique from the following list
- A. Top to bottom, back your way out as you clean.
 - B. Start at the bottom, work your way up, then come back down.
 - C. Clean counter tops last.
 - D. Only clean surfaces where visible dust has accumulated.
21. Visual inspection after cleaning is required by the RRP rule. It can be performed by which of the following individuals.
- A. An on-the-job trained renovator.
 - B. Only the Safety Officer for the renovation firm
 - C. A Certified Renovator
 - D. The homeowner
22. There are two options for demonstrating that clean-up following a renovation activity has been achieved to the desired level. They are:
- A. Either by using the Cleaning Verification (CV) procedure or using other certified personnel to conduct a clearance examination.
 - B. By having a certified lead-based paint inspector perform XRF testing on all surfaces in conjunction with the CV.
 - C. The CV used together with the collection of wipe samples to be sent to a laboratory.
 - D. None of the above.

23. Which of the following would be records that would be kept on site to document a renovation job?
- A. A copy of the Certified Firm and the Certified Renovator certifications
 - B. Any lead-based inspections that have been performed at the site in the past.
 - C. A copy of the non-certified worker training documentation.
 - D. A and C are the correct answers.
24. Which of the following are not necessary for recordkeeping for documentation of non-certified worker training?
- A. Date (s) of training
 - B. Medical screening of blood for lead
 - C. Worker's name
 - D. Name and signature of the Certified Renovator who conducted the training.
25. Evaluate the following statement. The Certified Renovator must be at the site of the renovation at all times.
- A. True
 - B. False