



What's covered in this live class?

Lattice Association & Dissociation Enthalpy of hydration Enthalpy of solution Born-Haber Cycles

> Multiple choice questions Classic Exam questions Exam technique

This is a huge topic that requires you to have a sound knowledge of Year 1 enthalpy topics. Lots to learn here and lots of different way that they can examine you on the topic. The calculations aren't complex, but it's easy to make simple errors which will lose you marks!

Use the links in the table below to watch the recommended tutorials in the content guide. When you're done, have a go at the questions BEFORE the live class.

AQA	OCR	EDEXCEL	
THERMODYNAMICS (3.1.8)	LATTICE ENTHALPY (5.2.1)	LATTICE ENERGY (13A)	
(Ignore the entropy tutorials)	DATTICE LINITIALITY (3.2.1)		





MCQ's

QI.	vvnich	process describes the following equation? $Mg^{+}(g) \rightarrow Mg^{2+}(g) + e^{-}$
	Α	The first ionisation energy of magnesium
	В	The atomisation of magnesium
	С	The electron affinity of magnesium
	D	The second ionisation energy of magnesium
Q2.		is the correct definition for Lattice Enthalpy? athalpy change when
	Α	1 mole of a substance is formed from it's constituent elements in their standard states
	В	1 mole of an ionic substance is formed from it's gaseous ions under standard conditions
	С	$1\ \mathrm{mole}\ \mathrm{of}\ \mathrm{an}\ \mathrm{ionic}\ \mathrm{substance}\ \mathrm{is}\ \mathrm{formed}\ \mathrm{from}\ \mathrm{it's}\ \mathrm{constituent}\ \mathrm{elements}\ \mathrm{under}\ \mathrm{standard}\ \mathrm{condition}$
	D	1 mole of a substance is broken down into it's constituent elements under standard conditions
Q3.	For wh	sich of the following changes is ΔH negative?
	Α	$N\alpha_{(g)} \rightarrow N\alpha^{+}_{(g)} + e^{-}$
	В	$N\alpha_{(s)} \rightarrow N\alpha_{(g)}$
	С	$Cl_{(g)} + e^{-} \rightarrow Cl_{(g)}$
	D	$O^{-}(g) + e^{-} \rightarrow O^{2-}(g)$
Q4.	Which	of the following statements is false?
	Α	Enthalpy of Atomisation is always a positive value
	В	Enthalpy of Hydration is always a negative value
	С	Enthalpy of Solution is calculated using enthalpy of hydration and lattice enthalpy
	D	Enthalpy of electron affinity is always an exothermic process
Q5.	Which	of the following ions would you expect to have the most negative enthalpy of hydration?
	Α	Ca ²⁺
	В	Na ⁺
	С	Mg ²⁺
	D	K+





Classic Exam Questions

Q6.	Explain how Ic	attice energy values, together with other dat	a, can be use	d to predict th	e solubility of ior	ic compounds. [3
Q7.	The table cont	cains some values of lattice dissociation entr	nalpies.			
		Compound	MgCl ₂	CaCl ₂	MgO	
		Lattice dissociation enthalpy/kJ mol ⁻¹	2493	2237	3889	
		juation, including state symbols, for the reac nthalpy of magnesium chloride.	tion that has o	an enthalpy ch	ange equal to th	ne lattice
	b) Explain why	the lattice dissociation enthalpy of magnes	ium chloride is	s greater than	that of calcium o	hloride. [2
	c) Explain why	the lattice dissociation enthalpy of magnesi	um oxide is g	reater than the	at of magnesium	chloride. [2]





	d)	When magnesium chloride dissolves in water, the enthalpy of solution is −155 kJ mol ⁻¹ . The enthalpy of hydration of chloride ions is −364 kJ mol ⁻¹ .			
		Calculate the enthalpy of hydration of magnesium ions.			
			[3]		
••••	•••••		•••••		
••••	•••••		•••••		
	e)	Energy is released when a magnesium ion is hydrated because magnesium ions attract water molecules.			
		Explain why magnesium ions attract water molecules. You may use a labelled diagram to illustrate your answer			
			[2]		
••••	•••••		•••••		
	f)	Suggest why a value for the enthalpy of solution of magnesium oxide is not found in any data books.	[1]		
			[1]		
			•••••		





Q11. This question is about magnesium oxide. Use data from the table below, where appropriate, to answer the following questions.

First electron affinity of oxygen (formation of O⁻(g) from O(g))

 $\Delta H^{\Theta}/\text{kJ mol}^{-1}$

-142

Second electron affinity of oxygen (formation of O²–(g) from O[–](g)) +844 Atomisation enthalpy of oxygen +248 a) Define the term enthalpy of lattice dissociation. [3] b) In terms of the forces acting on particles, suggest **one** reason why the first electron affinity of oxygen is an exothermic process. [1] c) Write equations to represent the three enthalpy changes in the table above. [3] First electron affinity of oxygen Second electron affinity of oxygen Atomisation enthalpy of oxygen

.....





d) Complete the Born-Haber cycle for magnesium oxide by drawing the missing energy levels, symbols and arrows. The standard enthalpy change values are given in kl.mol⁻¹.

[4]

$Mg^{2+}(g) + \frac{1}{2}O_2(g) + 2e^-$			
+1450	$Mg^+(g) + \frac{1}{2}O_2(g) + e^-$		
+736	$Mg(g) + \frac{1}{2}O_2(g)$		
+150	Mg(s) + $\frac{1}{2}$ O ₂ (g)		
-602			

e) Use your Born-Haber cycle from part **(d)** to calculate a value for the enthalpy of lattice dissociation for magnesium oxide.

MgO(s)






Q12. Lattice enthalpies can be calculated indirectly using Born-Haber cycles.

The table below shows enthalpy changes needed to calculate the lattice enthalpy of sodium oxide, Na₂O.

letter	enthalpy change	energy /kJ mol ⁻¹
Α	1st electron affinity of oxygen	-141
В	2nd electron affinity of oxygen	+790
С	1st ionisation energy of sodium	+496
D	atomisation of oxygen	+249
Е	atomisation of sodium	+108
F	formation of sodium oxide	-414
G	lattice enthalpy of sodium oxide	

a) The Born-Haber cycle below links the lattice enthalpy of sodium oxide with its enthalpy change of formation. (i) On the Born-Haber cycle, write the correct letter from the table above in each box.



[3]





b) Calculate the lattice enthalpy of sodium oxide	[2]
c) Explain why it is difficult to predict whether the lattice enthalpy of magnesium sulfide would be more or less exother than the lattice enthalpy of sodium oxide.	rmic [3]
d) A student wanted to determine the lattice enthalpy of sodium carbonate, Na ₂ CO ₃ . Unfortunately this is very difficul	 lt
to do using a similar Bom-Haber cycle to that used for sodium oxide in (b). Suggest why this is very difficult.	[1]
e) The student thought that he could determine the lattice enthalpy of Na ₂ CO ₃ using a Born–Haber cycle that links lattice enthalpy with enthalpy change of solution. The enthalpy change of solution of Na ₂ CO ₃ is exothermic. Sketch this Born–Haber cycle. Explain how the lattice enthalpy of Na ₂ CO ₃ could be calculated from the enthalpy changes in the cycle.	••••
	c) Explain why it is difficult to predict whether the lattice enthalpy of magnesium sulfide would be more or less exothe than the lattice enthalpy of sodium oxide. d) A student wanted to determine the lattice enthalpy of sodium carbonate, Na ₂ CO ₃ . Unfortunately this is very difficult to do using a similar Bom-Haber cycle to that used for sodium oxide in (b). Suggest why this is very difficult. e) The student thought that he could determine the lattice enthalpy of Na ₂ CO ₃ using a Bom-Haber cycle that links lattice enthalpy with enthalpy change of solution. The enthalpy change of solution of Na ₂ CO ₃ is exothermic. Sketch this Bom-Haber cycle. Explain how the lattice